

2020 COMMERCIAL LINEUP







GASOLINE



- Power/Torque: 308HP, 367 ft/lb
- Up to 15% more efficient than the competition
- Entire powertrain sold, warranted, and supported by FCCC



DIESEL



- Power/Torque: Up to 240HP, 660 ft/lb
- Better fuel economy, HP and torque than competitor automotive gasoline engine
- Longest scheduled maintenance intervals in its class



PROPANE



- Power/Torque: 308HP, 367 ft/lb
- Reduced emissions compared to diesel
- Entire powertrain sold, warranted, and supported by FCCC



CNG



- Power/Torque: Up to 308HP, 367 ft/lb
- · Significant reduction in emissions
- Cold start reliability to -40°F



ELECTRIC

- Power/Torque: Up to 226kW (303HP)
- Zero-emissions, all-electric
- Full charge in 3 hours with DC Fast Charging








COMMERCIAL. NOT AUTOMOTIVE.

Freightliner Custom Chassis walk-in vans are built to deliver greater profits in a variety of industries through increased productivity and proven fuel economy. Our commercial MT chassis features heavy-duty components that are designed to surpass automotive-class vans for maximum uptime and unbeatable driver safety.

SPECIFICATIONS

Engine	НР	Power	GVWR	Transmission
DriveForce 6.0L V8 Factory installed	308	d	14,990-23,000 lb	Allison 1000, 2100, 2200 or 2500 five-speed; park pawl available
		À	14,990-23,000 lb	
Detroit DD5 5.1L Diesel	200, 220, 240	•	14,990-30,000 lb	pawi avanabie
Electric Drive	226kW (303HP)	+	23,000 lb	E-Axle










CHASSIS FEATURES

- Durable full-section steel straight-rail frame is the strongest in the industry, reducing flex and bowing to minimize
- 40-90 gallon rectangular aluminized steel fuel tank means fewer fuel stops and enhanced safety
- TRW* steering columns coupled with Sheppard or TRW steering gears feature premium design and up to 53-degree wheel cut, offering superb maneuverability and handling
- Flat-leaf and taper-leaf suspensions with front sway bar provide a solid, smooth ride
- Premium 19.5" and 22.5" tires offer extra-wide and extra-deep tread to deliver superior handling and durability, as well as scrub resistance
- Spicer® SPL Series driveshaft with grease zerks (optional SPL XL Lube for Life) increases reliability and reduces maintenance
- 4-piston hydraulic brakes increase pad life

Build your WIV at FCCCCommercial.com/build-my-van



A REAL WORK TRUCK.

The S2G commercial truck pairs FCCC's popular S2 chassis with the only purpose-built propane autogas engine available to the medium-duty truck market—factory-installed, supported and warranted by FCCC. With a GVWR of 33,000 lbs., it offers delivery fleet owners lower operational costs and reduced emissions, without sacrificing payload capacity or performance.

- Entire powertrain sold, warranted, and supported by Freightliner Custom Chassis
- Reduced emissions compared to diesel
- Proven engine block; engine dress improvements increase reliability
- Backed by industry-leading after sales support
- Best available balance of power and torque

CHASSIS FEATURES

- Purpose-built 8.0L propane autogas engine rated at 339 hp and 495 lb./ft. of torque
- Powered by Liquid Propane Injection (LPI) system; LPI is a fully integrated and factory-installed propane autogas fuel system that requires no aftermarket modifications
- Allison 2300 and 2350 automatic transmission with PTO provision
- 3,000 lbs more GVWR than competitor, which equals 700+ gallons of LPG so you can make more deliveries
- Lower operational costs and reduced emissions, without sacrificing payload capacity or performance

- Over 30% larger windshield combined with sloped hood for over an 8-foot better line of sight than competitor
- Air disc brakes for shorter stopping distance and less brake fade
- 3-piece bumper with breakaway bolts to minimize potential tire damage and allow quicker replacement
- Interlock wiring and body builder interface connections eliminate the need to splice into chassis wiring
- Taper-leaf front suspension, multileaf rear suspension and front and rear SACHS' shock absorbers for a better ride
- 55-degree wheel cut offers industryleading maneuverability

	DRIVEFORCE 8.8L	DRIVEFORCE 8.OL	Competition
Displacement	8.8L	8.0L	6.8L
Rated Horsepower	270 HP @ 2600	339 HP @ 4100	362 HP @ 4750 320 HP @ 3900
Rated Torque	565 lb/ft @ 1600	495 lb/ft @ 3100	457 lb/ft @ 3250 460 lb/ft @ 3000
Bore & Stroke	4.35" x 4.50"	4.27" x 4.25"	3.55" x 4.17"
Compression Ratio	10.1:1	9.6:1	9.2:1

800.FTL.HELP



fcccservice@daimler.com



fccccommercial.com





Search "Freightliner 247" in the App Store.



Driven By You

 ${f DAIMLER}\ |\ {f Freight liner\ Custom\ Chassis}$ - A Daimler Group Brand

Specifications are subject to change without notice. Freightliner Custom Chassis Corporation is registered to ISO 9001:2008 and ISO 14001:2004. ©2020 Daimler Trucks North America LLC. All rights reserved. Freightliner Custom Chassis Corporation is a subsidiary of Daimler Trucks North America LLC, a Daimler company.